

Telefax: +49 2375 915-1700

according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Revision date: 16.04.2018

Product code: 950002

Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

SN100C - Alloys

#### Further trade names

This MSDS covers the following products: SN100C SN100Ce **SN100CS** SN100CeS SN100CS+ SN100CeS+ SN100CL SN100CLe SN100C2 SN100C3 SN100C4 Desoxy-RSN - SnGe1

Master Alloy Y

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

soft solder lead free

# Uses advised against

any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Balver Zinn Josef Jost GmbH & Co. KG
Street:	Blintroper Weg 11
Place:	D-58802 Balve
Telephone:	+49 2375 915-0
Responsible Department:	sds@balverzinn.com
.4. Emergency telephone	Chemtrec: +44(0) 870-8200418

1.4. Emergency telephone

# number:

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

## 2.2. Label elements

#### Additional advice on labelling

For this product, a hazard label is not required according to section 1.3.4 of the CLP regulation.

#### 2.3. Other hazards

No information available.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

**Chemical characterization** solder alloy

#### Hazardous components



### according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Revision date: 16.04.2018

Product code: 950002

Page 2 of 11

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification according	to Regulation (EC) No. 1272/2008	[CLP]			
7440-31-5	tin			> 90 %		
	231-141-8		01-2119486474-28			
7440-50-8	copper			0 - 5 %		
	231-159-6					
7440-56-4	germanium	0 - 1 %				
	231-164-3					
7440-02-0	nickel			0,01 - 0,1 %		
	231-111-4	028-002-00-7	01-2119438727-29			
	Carc. 2, Skin Sens. 1, STOT RE 1; H351 H317 H372					

Full text of H and EUH statements: see section 16.

#### Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

No special measures are necessary.

The melted product can cause severe burns. After contact with molten product, cool skin area rapidly with cold water. Burns caused by molten material must be treated clinically.

#### After contact with eyes

No special measures are necessary.

## After ingestion

No special measures are necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media Sand Extinguishing powder D -powder



according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Revision date: 16.04.2018

Product code: 950002

Page 3 of 11

# Unsuitable extinguishing media

Extinguishing media which must not be used for safety reasons: Water High power water jet Water spray jet

# 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Metal oxide smoke, toxic

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

In case of fire: Wear self-contained breathing apparatus.

# Additional information

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

No special measures are necessary.

# 6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Clean contaminated objects and areas thoroughly observing environmental regulations.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Do not breathe smoke. Do not breathe dust.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Further information on handling

General protection and hygiene measures: See section 8.

# 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

## Advice on storage compatibility

Do not store together with: Explosives. Radioactive substances. Infectious substances.

# 7.3. Specific end use(s)

refer to chapter 1.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Revision date: 16.04.2018

Product code: 950002

Page 4 of 11

# Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7440-50-8	Copper, dusts and mists (as Cu)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
7440-50-8	Copper, fume	-	0.2		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
-	Nickel and its inorganic compounds (except nickel tetracarbonyl): nickel and water-insoluble nickel compounds (as Ni)	-	0.5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
-	Tin compounds, inorganic, except SnH4, (as Sn)	-	2		TWA (8 h)	WEL
		-	4		STEL (15 min)	WEL

# **DNEL/DMEL** values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
7440-31-5	tin	•		
Consumer DI	NEL, long-term	inhalation	systemic	3,476 mg/m <sup>3</sup>
Consumer DN	NEL, acute	inhalation	systemic	3,476 mg/m <sup>3</sup>
Worker DNEL	., long-term	inhalation	systemic	11,75 mg/m³
Worker DNEL	., acute	inhalation	systemic	11,75 mg/m³
Consumer DI	NEL, long-term	dermal	systemic	80 mg/kg bw/day
Worker DNEL	., acute	dermal	systemic	133,3 mg/kg bw/day
Consumer DI	NEL, acute	dermal	systemic	80 mg/kg bw/day
Worker DNEL	., long-term	dermal	systemic	133,3 mg/kg bw/day
Consumer DI	NEL, acute	oral	systemic	80 mg/kg bw/day
Consumer DI	NEL, long-term	oral	systemic	80 mg/kg bw/day
7440-50-8	copper			
Worker DNEL	., acute	dermal	systemic	273 mg/kg bw/day
Consumer DN	NEL, acute	dermal	systemic	273 mg/kg bw/day
Consumer DN	NEL, acute	inhalation	systemic	20 mg/m <sup>3</sup>
Worker DNEL	., long-term	inhalation	local	1 mg/m <sup>3</sup>
Consumer DN	NEL, long-term	dermal	systemic	137 mg/kg bw/day
Worker DNEL	., long-term	dermal	systemic	137 mg/kg bw/day
Worker DNEL	., acute	inhalation	systemic	20 mg/m <sup>3</sup>
Consumer DN	NEL, long-term	inhalation	local	1 mg/m <sup>3</sup>
7440-02-0	nickel			
Worker DNEL	., acute	inhalation	systemic	680 mg/m³
Worker DNEL, long-term		inhalation	local	0,05 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	systemic	0,05 mg/m <sup>3</sup>
Worker DNEL	., acute	inhalation	local	4 mg/m³
Worker DNEL	., long-term	dermal	local	0,035 mg/cm <sup>2</sup>



#### according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Page 5 of 11

Consumer DNEL, long-term	inhalation	systemic	0,02 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	systemic	408 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	local	0,02 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	local	2,4 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	local	0,035 mg/cm <sup>2</sup>
Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	0,012 mg/kg bw/day

# **PNEC** values

Rev

CAS No	Substance				
Environmental	Environmental compartment Value				
7440-50-8	copper				
Freshwater		0,0078 mg/l			
Marine water 0,0052 mg/l					
Freshwater sediment 87 mg/kg					
Marine sediment 678 mg					
Micro-organisms in sewage treatment plants (STP) 0,23					
Soil 65 mg/k					

8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Use protective skin cream before handling the product.

#### Eye/face protection

Wear eye/face protection.

# Hand protection

Wear suitable gloves.

for coarse soldering works: heat insulating.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In the case of wanting to use the gloves again, clean them before taking off and air them well. Before using check leak tightness / impermeability.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Protective clothing (heat-resistant)

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. Provide adequate ventilation as well as local exhaustion at critical locations. Respiratory protection necessary at: Insufficient ventilation. exceeding exposure limit values



## according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Revision date: 16.04.2018

Product code: 950002

Page 6 of 11

smoke generation

Suitable respiratory protective equipment: Particle filter device (DIN EN 143) Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

# Environmental exposure controls

No special environmental measures are necessary.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	solid		
Colour:	metallic, silver		
Odour:	odourless		
			Test method
pH-Value:		not applicable	
Changes in the physical state			
Melting point:		227 °C	N/A
Initial boiling point and boiling range:		not determined	
Sublimation point:		not determined	
Softening point:		not determined	
Flash point:		not determined	
Flammability			
Solid:		not determined	
Explosive properties			
none			
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Ignition temperature:		not determined	
Auto-ignition temperature			
Solid:		not determined	
Decomposition temperature:		not determined	
Oxidizing properties			
none			
Vapour pressure:		not determined	
Density:		7,26 g/cm <sup>3</sup>	N/A
Bulk density:		not determined	
Water solubility:		insoluble	
Solubility in other solvents insoluble			
Viscosity / dynamic:		not determined	
Viscosity / kinematic:		not determined	
2. Other information			
Solid content:		not determined	



according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Revision date: 16.04.2018

Product code: 950002

Page 7 of 11

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

# 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

No information available.

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

Can be released in case of fire: Metal oxide smoke, toxic

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No information available.

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7440-31-5	tin						
	oral	LD50 mg/kg	>2000	Rat	ECHA Dossier		
	dermal	LD50 mg/kg	>2000	Rat	ECHA Dossier		
	inhalation (4 h) aerosol	LC50 mg/l	(>4,75)	Rat	ECHA Dossier		
7440-50-8	copper						
	inhalation (4 h) aerosol	LC50 mg/l	>5,11	Rat	ECHA Dossier		
7440-02-0	nickel	nickel					
	oral	LD50 mg/kg	> 5000	Rat	ECHA Dossier		
	inhalation aerosol	LC50	10,2 mg/l	Rat	ECHA Dossier		

## Irritation and corrosivity

Based on available data, the classification criteria are not met. Skin corrosion/irritation: Not an irritant. Serious eve damage/eve irritation: Not an irritant.

## Sensitising effects

Based on available data, the classification criteria are not met. Respiratory or skin sensitisation: not sensitising.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Revision date: 16.04.2018

Product code: 950002

Page 8 of 11

## STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No data available

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

## No data available

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7440-02-0	nickel						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	> 100		Selenastrum capricornutum	ECHA Dossier	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	ECHA Dossier	

# 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

## 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

No data available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to EAKV:

#### Waste disposal number of waste from residues/unused products

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

#### Waste disposal number of used product

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

# Waste disposal number of contaminated packaging



CU	BAK	according to Regulation (EC) No 1907/2006					
		SNI400C Allovo					
Dovision datas 16	04 2019	SN100C - Alloys	Daga 0 of 11				
Revision date: 16	.04.2018	Product code: 950002	Page 9 of 11				
150106	150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging						
Contaminated Handle co		ne same way as the substance itself.					
SECTION 14: T	ransport information						
Land transport (/	ADR/RID)						
<u>14.1. UN num</u>	ber:	Not restricted					
<u>14.2. UN prop</u>	er shipping name:	Not restricted					
<u>14.3. Transpo</u>	rt hazard class(es):	Not restricted					
14.4. Packing	group:	Not restricted					
Inland waterways	s transport (ADN)						
<u>14.1. UN num</u>	ber:	Not restricted					
<u>14.2. UN prop</u>	er shipping name:	Not restricted					
<u>14.3. Transpo</u>	rt hazard class(es):	Not restricted					
14.4. Packing	group:	Not restricted					
Marine transport	(IMDG)						
<u>14.1. UN num</u>	ber:	Not restricted					
<u>14.2. UN prop</u>	er shipping name:	Not restricted					
<u>14.3. Transpo</u>	<u>rt hazard class(es):</u>	Not restricted					
<u>14.4. Packing</u>	group:	Not restricted					
Air transport (IC)	AO-TI/IATA-DGR)						
<u>14.1. UN num</u>	ber:	Not restricted					
<u>14.2. UN prop</u>	er shipping name:	Not restricted					
<u>14.3. Transpo</u>	<u>rt hazard class(es):</u>	Not restricted					
14.4. Packing	group:	Not restricted					
14.5. Environme	ntal hazards						
ENVIRONMEI	NTALLY HAZARDOUS:	no					
14.6. Special pre Not restric	<b>cautions for user</b> ted						
14.7. Transport in	14.7. Transport in bulk according to Annex II of Marpol and the IBC Code						
Not restric	ted						
SECTION 15: R	egulatory information						
15.1. Safety, heal	th and environmental rec	gulations/legislation specific for the substance or mixture					

# EU regulatory information Restrictions on use (REACH, annex XVII): Entry 27: nickel Information according to 2012/18/EU (SEVESO III): Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. REACH 1907/2006 Appendix XVII, No: 27

# National regulatory information

Water contaminating class (D):

- - not water contaminating



according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Revision date: 16.04.2018

Product code: 950002

Page 10 of 11

# Additional information

Observe technical data sheet.

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Changes

Rev. 1.00; 06.05.2015, Initial release Rev. 1.01; 30.10.2015, Indication of changes: chapter: 1, 16. Rev.1.1; 22.09.2016, Indication of changes - chapter: 1, 16. Rev.2.0; 16.04.2018, Changes in chapter: 15

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route CAS Chemical Abstracts Service DNEL: Derived No Effect Level IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany) LOAEL: Lowest observed adverse effect level LOAEC: Lowest observed adverse effect concentration LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program N/A: not applicable OSHA: Occupational Safety and Health Administration PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) SARA: Superfund Amendments and Reauthorization Act SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe WGK: Wassergefaehrdungsklasse

#### Relevant H and EUH statements (number and full text)

- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H372 Causes damage to organs through prolonged or repeated exposure.

# **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data. and / or calculated and / or estimated.





according to Regulation (EC) No 1907/2006

# SN100C - Alloys

Revision date: 16.04.2018

Product code: 950002

Page 11 of 11

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)