

according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Further trade names

This MSDS covers the following products:

OT2 SN100C T3 OT2 SN100C T4 P-OT2M SN100C T3

P-OT2M SN100C T4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Solder paste

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: Cobar Europe BV
Street: Aluminiumstraat 2
Place: NL-4823 AL Breda
Telephone: +31 76 5445566

Telephone: +31 76 5445566 Telefax: +31 76 5445577

e-mail: info@Cobar.com

Supplier

Company name: Balver Zinn Josef Jost GmbH & Co. KG

Street: Blintroper Weg 11 Place: D-58802 Balve

Telephone: +49 2375 915-0 Telefax: +49 2375 915-1700

Responsible Department: sds@balverzinn.com

1.4. Emergency telephone Chemtrec: +44(0) 870-8200418

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Reproductive toxicity: Repr. 1B

Hazard Statements:

May damage the unborn child.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

bis(2-(2-methoxyethoxy)ethyl) ether

Signal word: Danger

Pictograms:





according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 2 of 14

Hazard statements

H360D May damage the unborn child.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container to local/regional/national/international regulations.

Special labelling of certain mixtures

EUH208 Contains maleic acid. May produce an allergic reaction.

Restricted to professional users.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

Chemical name			Quantity
EC No	Index No	REACH No	
Classification according to	Regulation (EC) No. 1272/2008 [CLP]	
tin			85 - < 90 %
231-141-8			
Rosin, hydrogenated			1 - < 5 %
266-041-3			
complex reaction mass of	Chinese gum rosin post reacted w	ith acrylic acid	1 - < 5 %
434-230-1	607-682-00-4		
Aquatic Chronic 4; H413			
bis(2-(2-methoxyethoxy)et	thyl) ether		< 1 %
205-594-7		01-2119958965-16	
Repr. 1B; H360Df			
copper			< 1 %
231-159-6			
maleic acid			< 0.1 %
203-742-5	607-095-00-3		
Acute Tox. 4, Skin Irrit. 2, I	Eye Irrit. 2, Skin Sens. 1, STOT SE	3; H302 H315 H319 H317 H335	
nickel			< 0.1 %
231-111-4	028-002-00-7	01-2119438727-29	
Carc. 2, Skin Sens. 1, ST	OT RE 1; H351 H317 H372		
germanium			< 0.1 %
231-164-3			
	EC No Classification according to tin 231-141-8 Rosin, hydrogenated 266-041-3 complex reaction mass of 434-230-1 Aquatic Chronic 4; H413 bis(2-(2-methoxyethoxy)et) 205-594-7 Repr. 1B; H360Df copper 231-159-6 maleic acid 203-742-5 Acute Tox. 4, Skin Irrit. 2, nickel 231-111-4 Carc. 2, Skin Sens. 1, STogermanium	EC No Classification according to Regulation (EC) No. 1272/2008 [Classification (EC No Index No REACH No Classification according to Regulation (EC) No. 1272/2008 [CLP] tin 231-141-8 Rosin, hydrogenated 266-041-3 complex reaction mass of Chinese gum rosin post reacted with acrylic acid 434-230-1 Aquatic Chronic 4; H413 bis(2-(2-methoxyethoxy)ethyl) ether 205-594-7 Repr. 1B; H360Df copper 231-159-6 maleic acid 203-742-5 Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H302 H315 H319 H317 H335 nickel 231-111-4 028-002-00-7 01-2119438727-29 Carc. 2, Skin Sens. 1, STOT RE 1; H351 H317 H372 germanium

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 3 of 14

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Change contaminated clothing.

First aider: Pay attention to self-protection!

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. Get medical advice/attention.

After contact with skin

Remove contaminated, saturated clothing immediately. Wash immediately with: Water and soap. Get medical advice/attention.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

refer to chapter 2 and 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand

Extinguishing powder

D -powder

Unsuitable extinguishing media

Extinguishing media which must not be used for safety reasons:

Water

High power water jet

Water spray jet

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Metal oxide smoke, toxic.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

SECTION 6: Accidental release measures



according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 4 of 14

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Remove persons to safety.

Avoid exposure. Do not breathe smoke. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Wear personal protection equipment. (See section 8.)

Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Technical ventilation of workplace

Avoid exposure - obtain special instructions before use.

Do not breathe smoke. Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

Wear suitable protective clothing. (See section 8.)

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Keep/Store only in original container.

Advice on storage compatibility

Do not store together with: Explosives. Gas. Oxidizing liquids. Oxidizing solids. Self-reactive substances and mixtures. Organic peroxides. Ammonium nitrate and preparations containing ammonium nitrate. Combustible toxic substances. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Protect against: UV-radiation/sunlight. heat. moisture. frost.

storage temperature: refer to specifications.

7.3. Specific end use(s)

refer to chapter 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 5 of 14

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7440-50-8	Copper, dusts and mists (as Cu)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
7440-50-8	Copper, fume	-	0.2		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

BALVER ZINN° COBAR°

Safety Data Sheet

according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 6 of 14

DNEL/DMEL values

CAS No Substance			
DNEL type	Exposure route	Effect	Value
7440-31-5 tin	<u> </u>	_	
Consumer DNEL, long-term	inhalation	systemic	3,476 mg/m³
Consumer DNEL, acute	inhalation	systemic	3,476 mg/m³
Worker DNEL, long-term	inhalation	systemic	11,75 mg/m³
Worker DNEL, acute	inhalation	systemic	11,75 mg/m³
Consumer DNEL, long-term	dermal	systemic	80 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	133,3 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	80 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	133,3 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	80 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	80 mg/kg bw/day
143-24-8 bis(2-(2-methoxyethoxy)ethyl) ether			
Worker DNEL, long-term	dermal	systemic	3 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	22 mg/m³
Consumer DNEL, long-term	inhalation	systemic	0,0005 mg/m³
Consumer DNEL, long-term	dermal	systemic	0,001 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,001 mg/kg bw/day
7440-50-8 copper			
Worker DNEL, acute	dermal	systemic	273 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	273 mg/kg bw/day
Consumer DNEL, acute	inhalation	systemic	20 mg/m³
Worker DNEL, long-term	inhalation	local	1 mg/m³
Consumer DNEL, long-term	dermal	systemic	137 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	137 mg/kg bw/day
Worker DNEL, acute	inhalation	systemic	20 mg/m³
Consumer DNEL, long-term	inhalation	local	1 mg/m³
110-16-7 maleic acid			
Worker DNEL, long-term	dermal	local	0,04 mg/cm ²
Worker DNEL, acute	dermal	local	0,55 mg/cm ²
Worker DNEL, long-term	dermal	systemic	3,3 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	58 mg/kg bw/day
7440-02-0 nickel			
Worker DNEL, acute	11141	systemic	680 mg/m³
	inhalation		
	inhalation	local	0,05 mg/m³
Worker DNEL, long-term Worker DNEL, long-term		- 	
Worker DNEL, long-term	inhalation	local	0,05 mg/m³
Worker DNEL, long-term Worker DNEL, long-term	inhalation inhalation	local systemic	0,05 mg/m³ 0,05 mg/m³



according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 7 of 14

Consumer DNEL, acute	inhalation	systemic	408 mg/m³
Consumer DNEL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute	inhalation	local	2,4 mg/m³
Consumer DNEL, long-term	dermal	local	0,035 mg/cm ²
Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	0,012 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmenta	I compartment	Value
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ether	
Freshwater		32 mg/l
Marine water		3,2 mg/l
Micro-organisi	ms in sewage treatment plants (STP)	500 mg/l
Freshwater se	ediment	127 mg/kg
Marine sedime	ent	12,7 mg/kg
Secondary po	isoning	8,32 mg/kg
Soil		6,7 mg/kg
7440-50-8	copper	
Freshwater se	ediment	87 mg/kg
Marine water		0,0052 mg/l
Freshwater		0,0078 mg/l
Marine sedime	ent	678 mg/kg
Micro-organisi	ms in sewage treatment plants (STP)	0,23 mg/l
Soil		65 mg/kg
110-16-7	maleic acid	
Freshwater		0,074 mg/l
Freshwater sediment		0,0624 mg/kg
Micro-organisms in sewage treatment plants (STP)		3,33 mg/l

8.2. Exposure controls









Appropriate engineering controls

Technical ventilation of workplace Process within closed systems.

Protective and hygiene measures

The usual precautions for handling chemicals should be considered.

Keep away from food, drink and animal feedingstuffs.

Always close containers tightly after the removal of product. When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Protect skin by using skin protective cream. Take off contaminated clothing.

Eye/face protection

Recommended eye protection brand: Tightly sealed safety glasses. (DIN EN 166)

BALVER ZINN° COBAR°

Safety Data Sheet

according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 8 of 14

Hand protection

Wear suitable gloves. (DIN EN 374)

for coarse soldering works: heat insulating.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In the case of wanting to use the gloves again, clean them before taking off and air them well. Before using check leak tightness / impermeability.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Protective clothing (heat-resistant)

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

insufficient ventilation.

Release of: product.

exceeding exposure limit values

Suitable respiratory protective equipment:

Combination filtering device (EN 14387); Type: A-P3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

This material and its container must be disposed of in a safe way.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour: metallic, grey
Odour: characteristic.

Test method

pH-Value: not determined

Changes in the physical state

Melting point: 227 °C Initial boiling point and boiling range: not determined Flash point: not determined

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

not determined

not determined

not determined

not determined

Oxidizing properties

none.

Vapour pressure: not determined

(at 20 °C)



according to Regulation (EC) No 1907/2006

Revision date: 08.11.2016 Product code: 950610 Page 9 of 14

Density: not determined Water solubility: not miscible

Solubility in other solvents

not determined

Viscosity / dynamic: not determined

(at 20 °C)

Viscosity / kinematic: not determined

(at 20 °C)

Flow time: not determined Vapour density: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Reacts with: Strong acid, Oxidising agent

10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. Strong acid. strong alkalis.

10.6. Hazardous decomposition products

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Metal oxide smoke, toxic.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 10 of 14

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
7440-31-5	tin				
	oral	LD50	>2000 mg/kg	Rat	ECHA Dossier
	dermal	LD50	>2000 mg/kg	Rat	ECHA Dossier
	inhalative (4 h) aerosol	LC50	(>4,75) mg/l	Rat	ECHA Dossier
144413-22-9	complex reaction mass of Chinese g	um rosin po	st reacted with ac	crylic acid	
	oral	LD50	>2000 mg/kg	Rat	ECHA Dossier
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ether				
	oral	LD50	3850 mg/kg	Rat. (OECD 401)	ECHA Dossier
7440-50-8	copper				
	inhalative (4 h) aerosol	LC50	>5,11 mg/l	Rat	ECHA Dossier
110-16-7	maleic acid				
	oral	LD50	(2870) mg/kg	Rat	ECHA Dossier
7440-02-0	nickel				
	oral	LD50	> 5000 mg/kg	Rat	ECHA Dossier
_	inhalative aerosol	LC50	10,2 mg/l	Rat	ECHA Dossier

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage the unborn child. (bis(2-(2-methoxyethoxy)ethyl) ether)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

bis(2-(2-methoxyethoxy)ethyl) ether (CAS-No.: 143-24-8):

In-vitro mutagenicity: No experimental indications of mutagenicity in-vitro exist.

literature infomation: ECHA Dossier

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

bis(2-(2-methoxyethoxy)ethyl) ether (CAS-No.: 143-24-8):

Subacute oral toxicity Exposure time: 28d Species: Wistar Rat.

Method: OECD Guideline 407 Result: NOEL = 250 mg/kg(bw)/day literature infomation: ECHA Dossier

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available.

SECTION 12: Ecological information

12.1. Toxicity



according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 11 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source
144413-22-9	complex reaction mass of Chi	nese gum ro	sin post reacted w	ith acrylic	acid	
	Acute algae toxicity	ErC50	(>0,49) mg/l	72 h	Desmodesmus subspicatus	ECHA Dossier
	Acute crustacea toxicity	EC50	(>1) mg/l	48 h	Daphnia magna	ECHA Dossier
143-24-8	bis(2-(2-methoxyethoxy)ethyl)	ether				
	Acute fish toxicity	LC50	>500 mg/l	96 h	Danio rerio (OECD 203)	MSDS extern
	Acute algae toxicity	ErC50	8996 mg/l	72 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier
	Acute crustacea toxicity	EC50	7467 mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier
110-16-7	maleic acid					
	Acute algae toxicity	ErC50	(74,35) mg/l	96 h	Pseudokirchnerella subcapitata (OECD 201)	ECHA Dossier
	Acute crustacea toxicity	EC50	(42,81) mg/l	48 h	Daphnia magna (OECD 202)	ECHA Dossier
7440-02-0	nickel					
	Acute fish toxicity	LC50	> 100 mg/l	96 h	Danio rerio	ECHA Dossier
	Acute algae toxicity	ErC50	> 100 mg/l	72 h	Selenastrum capricornutum	ECHA Dossier
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna	ECHA Dossier

12.2. Persistence and degradability

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	•		•	
144413-22-9	complex reaction mass of Chinese gum rosin post reacted with acrylic acid				
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C 25% 28 ECHA Dossier				
	Not readily biodegradable (according to OECD criteria)				
110-16-7	maleic acid				
	OECD Guideline 301 OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	97,08%	28	ECHA Dossier	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
143-24-8	bis(2-(2-methoxyethoxy)ethyl) ether	-0,84
110-16-7	maleic acid	-0,79

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations



according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 12 of 14

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; inorganic wastes containing hazardous substances

Classified as hazardous waste.

Waste disposal number of used product

160303 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; inorganic wastes containing hazardous substances

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150202 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by hazardous substances

Classified as hazardous waste.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Inland waterways transport (ADN)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Marine transport (IMDG)

<u>14.1. UN number:</u>	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	Not restricted
14.2. UN proper shipping name:	Not restricted
14.3. Transport hazard class(es):	Not restricted
14.4. Packing group:	Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no



according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 13 of 14

14.6. Special precautions for user

See section 8.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 27: nickel

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Additional information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 28/29/30

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D):

Additional information

2 - water contaminating

Observe technical data sheet.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.00; 11.05.2015, Initial release

Rev. 1.1; 10.06.2016, Documentation of changes: chapter: 15, 16. Rev. 1.2; 08.11.2016, Documentation of changes: chapter: 1, 8, 16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

Cobar Europe BV



Safety Data Sheet

according to Regulation (EC) No 1907/2006

OT2 SN100C T3/4; P-OT2M SN100C T3/4

Revision date: 08.11.2016 Product code: 950610 Page 14 of 14

NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail)

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

Relevant H and EUH statements (number and full text)

H302	narmiui ii swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
11040	

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H360D May damage the unborn child.

H360Df May damage the unborn child. Suspected of damaging fertility.
H372 Causes damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.
EUH208 Contains maleic acid. May produce an allergic reaction.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)