

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux

Revision date: 18.02.2019 Product code: 950201 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux

Further trade names

possible alloys: SN100C - SnCu0,7Ni; SN100C3 - SnCu3,0Ni; SN100CS - SnCu0,7NiGe Sn97Cu3; Sn99Cu1; Sn99,3Cu0,7

2220; 3135; B2012; 26Q; 32Q; B211; Cobar 393

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Solder wire

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: Balver Zinn Josef Jost GmbH & Co. KG

Street: Blintroper Weg 11 Place: D-58802 Balve

Telephone: +49 2375 915-0 Telefax: +49 2375 915-1700

Responsible Department: sds@balverzinn.com

1.4. Emergency telephone Chemtrec: +44(0) 870-8200418

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: none

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Solder wire

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification					
7440-31-5	tin					
	231-141-8		01-2119486474-28			



according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux

Revision date: 18.02.2019 Product code: 950201 Page 2 of 10

7440-50-8	copper	copper					
	231-159-6						
65997-06-0	Rosin, hydrogenated	Rosin, hydrogenated					
	266-041-3						
7440-02-0	nickel	nickel					
	231-111-4	028-002-00-7	01-2119438727-29				
	Carc. 2, Skin Sens. 1, STOT RE 1; H351 H317 H372						

Full text of H and EUH statements: see section 16.

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

No special measures are necessary.

The melted product can cause severe burns. After contact with molten product, cool skin area rapidly with cold water. Burns caused by molten material must be treated clinically.

After contact with eyes

No special measures are necessary.

After ingestion

No special measures are necessary.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Sand

Extinguishing powder

D -powder

Unsuitable extinguishing media

Extinguishing media which must not be used for safety reasons:

Water

High power water jet

Water spray jet



according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux

Revision date: 18.02.2019 Product code: 950201 Page 3 of 10

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Gas/vapours, irritant. Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Metal oxide smoke, toxic

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

6.2. Environmental precautions

No special measures are necessary.

6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations.

Do not breathe smoke. Do not breathe dust.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Further information on handling

General protection and hygiene measures: See section 8.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.

Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7440-50-8	Copper, dusts and mists (as Cu)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL



according to Regulation (EC) No 1907/2006

_											
	Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux										
	Revision date:	18.02.2019	Product code: 95	0201		Page 4	of 10				
	7440-50-8	Copper, fume	-	0.2	TWA (8 h)	WEL					
	-	Nickel and its inorganic compounds (except nickel tetracarbonyl): nickel and water-insoluble nickel compounds (as Ni)	-	0.5	TWA (8 h)	WEL					
	-	Tin compounds, inorganic, except SnH4, (as Sn)	-	2	TWA (8 h)	WEL					
		l,	-	4	STEL (15 mi	n) WEL					

DNEL/DMEL values

CAS No Substance			
DNEL type	Exposure route	Effect	Value
7440-31-5 tin	· ·		
Consumer DNEL, long-term	inhalation	systemic	3,476 mg/m³
Consumer DNEL, acute	inhalation	systemic	3,476 mg/m³
Worker DNEL, long-term	inhalation	systemic	11,75 mg/m³
Worker DNEL, acute	inhalation	systemic	11,75 mg/m³
Consumer DNEL, long-term	dermal	systemic	80 mg/kg bw/day
Worker DNEL, acute	dermal	systemic	133,3 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	80 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	133,3 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	80 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	80 mg/kg bw/day
7440-50-8 copper			
Worker DNEL, acute	dermal	systemic	273 mg/kg bw/day
Consumer DNEL, acute	dermal	systemic	273 mg/kg bw/day
Consumer DNEL, acute	inhalation	systemic	20 mg/m³
Worker DNEL, long-term	inhalation	local	1 mg/m³
Consumer DNEL, long-term	dermal	systemic	137 mg/kg bw/day
Worker DNEL, long-term	dermal	systemic	137 mg/kg bw/day
Worker DNEL, acute	inhalation	systemic	20 mg/m³
Consumer DNEL, long-term	inhalation	local	1 mg/m³
7440-02-0 nickel			
Worker DNEL, acute	inhalation	systemic	680 mg/m³
Worker DNEL, long-term	inhalation	local	0,05 mg/m³
Worker DNEL, long-term	inhalation	systemic	0,05 mg/m³
Worker DNEL, acute	inhalation	local	4 mg/m³
Worker DNEL, long-term	dermal	local	0,035 mg/cm²
Consumer DNEL, long-term	inhalation	systemic	0,02 mg/m³
Consumer DNEL, acute	inhalation	systemic	408 mg/m³
Consumer DNEL, long-term	inhalation	local	0,02 mg/m³
Consumer DNEL, acute	inhalation	local	2,4 mg/m³
Consumer DNEL, long-term	dermal	local	0,035 mg/cm ²
Consumer DNEL, long-term	oral	systemic	0,02 mg/kg bw/day

Page 5 of 10



Revision date: 18.02.2019

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux Product code: 950201

Consumer DNEL, acute	oral	systemic	0,012 mg/kg
			bw/day

PNEC values

CAS No	Substance					
Environmental compartment Value						
7440-50-8 copper						
Freshwater 0,0078 mg/						
Marine water 0,0052 mg/l						
Freshwater sediment 87 mg/kg						
Marine sediment 678						
Micro-organisms in sewage treatment plants (STP) 0,23						
Soil 65 m						

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Use protective skin cream before handling the product.

Eye/face protection

Wear eye/face protection.

Hand protection

Wear suitable gloves.

for coarse soldering works: heat insulating.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In the case of wanting to use the gloves again, clean them before taking off and air them well. Before using check leak tightness / impermeability.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Protective clothing (heat-resistant)

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Insufficient ventilation.

exceeding exposure limit values

Suitable respiratory protective equipment: Particle filter device (DIN EN 143) Type: P2/3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Environmental exposure controls

No special environmental measures are necessary.



according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux

Revision date: 18.02.2019 Product code: 950201 Page 6 of 10

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid

Colour: metallic, silver Odour: odourless

pH-Value: not applicable

Changes in the physical state

Melting point:not determinedInitial boiling point and boiling range:not determinedSublimation point:not determinedSoftening point:not determinedFlash point:not determined

Flammability

Solid: not determined

Explosive properties

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Auto-ignition temperature

Solid: not determined

Decomposition temperature: not determined

Oxidizing properties

none

Vapour pressure:

Density:

not determined
Bulk density:

not determined
not determined
vater solubility:

insoluble

Solubility in other solvents

insoluble

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.



according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux

Revision date: 18.02.2019 Product code: 950201 Page 7 of 10

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

Can be released in case of fire: Metal oxide smoke, toxic

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
7440-31-5	tin								
	oral	LD50 mg/kg	>2000	Rat	ECHA Dossier				
	dermal	LD50 mg/kg	>2000	Rat	ECHA Dossier				
	inhalation (4 h) aerosol	LC50 mg/l	(>4,75)	Rat	ECHA Dossier				
7440-50-8	copper								
	inhalation (4 h) aerosol	LC50 mg/l	>5,11	Rat	ECHA Dossier				
7440-02-0	nickel								
	oral	LD50 mg/kg	> 5000	Rat	ECHA Dossier				
	inhalation aerosol	LC50	10,2 mg/l	Rat	ECHA Dossier				

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Not an irritant.

Serious eye damage/eye irritation: Not an irritant.

Sensitising effects

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: not sensitising.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

SECTION 12: Ecological information



according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux

Revision date: 18.02.2019 Product code: 950201 Page 8 of 10

12.1. Toxicity

No data available

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h] [d] Species		Source	Method			
7440-02-0	nickel									
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	ECHA Dossier				
	Acute algae toxicity	ErC50 mg/l	> 100		Selenastrum capricornutum	ECHA Dossier				
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	ECHA Dossier				

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to EAKV:

Waste disposal number of waste from residues/unused products

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

Waste disposal number of used product

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux

Revision date: 18.02.2019 Product code: 950201 Page 9 of 10

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Not restricted

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 27: nickel

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No: not relevant

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

Additional information

Observe technical data sheet.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev. 1.00; 22.05.2015, Initial release

Rev. 1.1; 22.09.2016, Indication of changes - chapter: 1, 16.

Rev. 2.0; 17.04.2018, Changes in chapter: 15

Rev. 2.1; 18.02.2019, Indication of changes - chapter: 2



according to Regulation (EC) No 1907/2006

Leadfree Solder Wire Tin-Copper Alloy with Resin based Flux

Revision date: 18.02.2019 Product code: 950201 Page 10 of 10

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level

NTP: National Toxicology Program N/A: not applicable

OSHA: Occupational Safety and Health Administration

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln fuerGefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefaehrdender Stoffe

WGK: Wassergefaehrdungsklasse

Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

EUH210 Safety data sheet available on request.

Further Information

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)